

FromLUX

Lighting Company

2024



Tel: +86-130-2551-2242
Email: jacky@fromlux.com
Web: www.fromlux.com

Soft light wallwasher



Equipment display




IES DARKROOM






THERMAL TEST

INTEGRATING SPHERE



IES Photoelectric parameters



Company Profile

FROMLUX Co., Ltd is specialized in the development, production and marketing of commercial indoor lighting. We have been serviced projects from Southeast Asia, Dubai, New Zealand, Italy, France, Norway, Austria, South America and etc. The products we manufacture include LED Recessed Spotlight, Downlight, Mini spotlight, Wall washer light, LED Grille Light, Trimless Downlight, Surface downlight, led track light and etc. The products are designed to save energy and promote environmental protection. As a professional manufacturer, our R&D team have strong ability in handle highly customized designs and all kinds of OEM projects. We offer customer integrated service, including pre-sales service, after-sales service, technical support and transportation service. We put the quality as priority, the success relies on the details, we hope to set up a long-term partnership with you through our high quality products.

Company Culture

Honesty Culture: Honesty is the foundation of all, being the first rule of every action

Customer Culture: Nothing is important, but you!

Innovation Culture: Lighting the world through innovation!

Service Culture: Always here for you!

Responsibility Culture: Keep the world green, reduce power plant emissions, go LED today!

About LED and Driver, we work with famous brand



TRIDONIC

LIFUD

PHILIPS

OSRAM




CITIZEN

CREE





Our Test Room




Our Aging Testing



Our projects




Our Delivery






LED Recessed Downlight Series


Installation Manual




1. According to the opening size on the product label, use a hole saw to cut the ceiling



2. Connect the reserved wire to the lamp wire as shown in the picture



3. Push the spring buckle upwards and directly insert the light into the ceiling hole



4. Installation is complete.



15°

24°

8°

36°

IP65



IP65
Waterproof

Not afraid of water/fog/oil/smoke can be used in the hotel, ballroom



FromLUX
Lighting Company

LED Recessed Downlight

New Arrival



Colour :




Adjustable

FL1054



Wattage	Size	Cutout	Beam angle	CCT	Lumen
6W	Ø52*H72mm	Ø45mm	15°24°38°55°	2700K	80LM/W
8W	Ø62*H77mm	Ø55mm	15°24°38°55°	3000K	
10W	Ø73*H80mm	Ø65mm	15°24°38°55°	3500K	
12W	Ø84*H85mm	Ø75mm	15°24°38°55°	4000K	
				5000K	



New Arrival

Colour:    
Sand gold Black Silver Chrome

Adjustable

FL1020

-  CRI > 90
-  UGR < 16
-  No flickering
-  white
-  black
-  Triac Dimming
-  1-10V Dimming
-  DALI Dimming
-  Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
12W	Ø85xH57mm	Φ75mm	18°24°38°50°		
12W	Ø85xH70mm	Φ75mm	18°24°38°50°	2700K 3000K	
12W	Ø85xH57mm	Φ75mm	18°24°38°	3500K 4000K	80LM/W
12W	Ø85xH73mm	Φ75mm	120°	5000K	
12W	Ø85xH57mm	Φ75mm	15-50°		



No stray light, round spot


No secondary light spot, pure and clear
Uniform light spot transition, more soft and comfortable

Light spot effect



New Arrival


Color:




FL1049



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Ø52xH55mm	Ø45mm	15°24°38°	2700K	80LM/W
10W	Ø65xH61mm	Ø55mm	15°24°38°50°	3000K	
12W	Ø75xH70mm	Ø65mm	15°24°38°50°	3500K	
18W	Ø85xH80mm	Ø75mm	15°24°38°50°	4000K	
25W	Ø106xH100mm	Ø95mm	15°24°38°50°	5000K	
40W	Ø135xH124mm	Ø120mm	15°24°38°50°		





Color:



Adjustable

FL1001



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ65*H80mm	Φ55mm	15°24°38°55°	2700K	80LM/W
10W	Φ85*H85mm	Φ75mm	15°24°38°55°	3000K	
15W	Φ85*H100mm	Φ75mm	15°24°38°55°	3500K	
18W	Φ110*H118mm	Φ95mm	15°24°38°55°	4000K	
				5000K	


Installation method

Trimless Downlight


Installation method (applicable to integral face ring opening):



Step 1: make holes in the ceiling, which is suitable for the ceiling with a thickness of 10mm-30mm.



Step 2: fix the integrated die-casting face ring on the ceiling and put in the shielding gasket to prevent the inner side of the integrated face ring from being stained with lime.



Step 3: surround the installation position of ceiling lamps, stick 3M glue, plaster in layers, and place separation joints.



Step 4: smooth the exposed marks and side seams on the ceiling with paint, and remove the shielding gasket.



Step 5: connect the power line to the mains, the live line to "L" and the zero line to "n". Place the drive into the ceiling hole.



Step 6: install the lamp body into the face ring, know that the plastic buckle has been clamped into the face ring, and confirm that the installation is firm.



Step 7: after the lamp body is installed, remove the dust film on the reflector and install it.



Color:



Trimless
Adjustable


FL1001



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ82*H80mm	Φ55mm	15°24°38°55°	2700K	80LM/W
10W	Φ100*H85mm	Φ75mm	15°24°38°55°	3000K	
15W	Φ100*H100mm	Φ75mm	15°24°38°55°	3500K	
18W	Φ131*H118mm	Φ95mm	15°24°38°55°	4000K 5000K	



Color:



Adjustable


FL1001



Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	Φ88.9*88.9*H85mm	Φ75*75mm	15°24°38°55°	2700K	80LM/W
2*10W	Φ168.5*88.9*H85mm	Φ160*75mm	15°24°38°55°	3000K	
3*10W	Φ247*88.9*H85mm	Φ240*75mm	15°24°38°55°	3500K	
4*10W	Φ168.5*168.5*H85mm	Φ160*160mm	15°24°38°55°	4000K	
				5000K	



Color:



Adjustable

FL1001



Wattage	Size	Cutout	Beam angle	CCT	Lumen
15W	Φ88.9*88.9*H85mm	Φ75*75mm	15°24°38°55°	2700K	80LM/W
2*15W	Φ168.5*88.9*H85mm	Φ160*75mm	15°24°38°55°	3000K	
3*15W	Φ247*88.9*H85mm	Φ240*75mm	15°24°38°55°	3500K	
4*15W	Φ168.5*168.5*H85mm	Φ160*160mm	15°24°38°55°	4000K	
				5000K	



Color:



FL1002



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Ø62.5*H51mm	Ø55mm	15° 24° 36° 60°	2700K 3000K 4000K 5000K 6500K 2700-6000K	90LM/W
10W	Ø85*H59mm	Ø75mm			
18W	Ø105*H73mm	Ø95mm			
2*10W	162.5*85*H59mm	150*75mm			
2*18W	201*105*H73mm	190*95mm			





Color: 

Option: Honeycomb

FL1003

-  CRI > 90
-  UGR < 16
-  No flickering
-  white
-  black
-  Triac Dimming
-  1-10V Dimming
-  DALI Dimming
-  Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ63*52mm	Φ55mm	15° 24° 36° 55°	2700K	80LM/W
10W	Φ85*64mm	Φ75mm		3000K	
18W	Φ102*74mm	Φ95mm		4000K	
2*7W	130*63*52mm	120*55mm		5000K	
2*10W	165*85*64mm	150*75mm		6500K	
2*18W	220*102*74mm	205*90mm	2700-6000K		
3*7W	185*63*52mm	175*55mm			
3*10W	240*85*64mm	230*75mm			






Adjustable

FL1004



Wattage	Size	Cutout	Beam angle	CCT	Lumen
6W	Φ65*H52mm	Φ55mm	15° 24° 36°	2700K	80LM/W
7W	Φ82*H55mm	Φ75mm		3000K	
10W	Φ96*H59mm	Φ85mm		4000K	
15W	Φ109*H62mm	Φ95mm	5000K		
				6500K	
				2700-6000K	



Adjustable

Colour :



Sand gold



Black



Silver





Chrome

Optional :



Honey comb

FL1005



Wattage	Size	Cutout	Beam angle	CCT	Lumen
9W	Φ72*H69mm	Φ65mm	15° 24° 36°	2700K	80LM/W
15W	Φ88*H71mm	Φ80mm		3000K	
				4000K	
9W	Φ72*H76mm	Φ65mm		5000K	
15W	Φ88*H88mm	Φ80mm		6500K	
				2700-6000K	




FL1006



Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	Φ85*70mm	Φ75mm	10°	2700K 3000K	70LM/W
18W	Φ108*85mm	Φ95mm		4000K 5000K	
30W	Φ135*97mm	Φ125mm		6500K 2700-6000K	



Color:



FL1007



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ70*H55mm	Φ66mm			
12W	Φ95*H75mm	Φ85mm			
18W	Φ120*H95mm	Φ105mm		2700K	
24W	Φ140*H105mm	Φ125mm	15°	3000K	80LM/W
40W	Φ167*H120mm	Φ155mm	30°	4000K	
60W	Φ197*H140mm	Φ185mm	45°	5000K	
80W	Φ236*H165mm	Φ220mm		6500K	
				2700-6000K	



Adjustable

FL1008

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ85*H68mm	Φ75mm	24°36°60°		
10W	Φ100*H87mm	Φ90mm	15°24°36°60°		
18W	Φ140*H105mm	Φ125mm	15°24°36°60°	2700K 3000K 4000K 5000K 6500K	80LM/W
24W	Φ175*H115mm	Φ150mm	15°24°36°60°		
7W	85*85*H68mm	75*75mm	24°36°60°	2700-6000K	
10W	100*100*H87mm	90*90mm	15°24°36°60°		
18W	140*140*H105mm	125*125mm	15°24°36°60°		
24W	175*175*H115mm	150*150mm	15°24°36°60°		



Real shooting




Adjustable

FL1009

-  CRI > 90
-  UGR < 16
-  No flickering
-  white
-  black
-  Triac Dimming
-  1-10V Dimming
-  DALI Dimming
-  Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
6w	Φ65*75mm	Φ55mm		2700K	80LM/W
12w	Φ85*90mm	Φ75mm	15°	3000K	
12w	Φ91*100mm	Φ80mm	24°	3500K	
25w	Φ105*95mm	Φ95mm	38°	4000K	
30w	Φ130*110mm	Φ115mm		5000K	



FL1010

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
5W	Φ40*H58mm	Φ35mm	36°	2700K 3000K	80LM/W
9W	Φ60*H82mm	Φ55mm	24°38°	4000K 5000K	
15W	Φ75*H100mm	Φ70mm	24°38°	6500K 2700-6000K	

LED Recessed Downlight



FL1011

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
4w	Φ42*56mm	Φ35mm	15° 24° 36°	2700K	90LM/W
8w	Φ52*60mm	Φ45mm		3000K	
10w	Φ61.7*66.5mm	Φ55mm		4000K	
10w	Φ72*70mm	Φ65mm		5000K	
15w	Φ80*72mm	Φ75mm		6500K	
				2700-6000K	



Color:



LED Recessed Downlight



Adjustable

FL1012

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
12W	98*H120mm	Φ90mm			
2*12W	100*185*H120	175*90mm	12°	2700K	80LM/W
3*12W	100*270*H120mm	260*90mm	24°	3000K	
12W	100*100*H120mm	90*90mm	38°	4000K	
				5000K	
2*12W	100*185*H120mm	175*90mm		6500K	
3*12W	100*270*H120mm	260*90mm		2700-6000K	



Color:

White

Black

LED Recessed Downlight



Adjustable

FL1012

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
24W	130*H135mm	120mm			
2*24W	130*240*H135mm	120*230mm	12°	2700K	80LM/W
3*24W	130*345*H135mm	120*335mm	24°	3000K	
24W	130*130*H135mm	120*120mm	24°	4000K	
			38°	5000K	
				6500K	
2*24W	130*240*H135mm	120*230mm		2700-6000K	
3*24W	130*345*H135mm	120*335mm			



Color:


White

Black

LED Recessed Downlight



Color:




FL1013



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	62*75mm	Φ55mm			
12W	85*89mm	Φ 75mm	15° 24°	2700K 3000K	
20W	104*115mm	Φ95mm	36° 55°	4000K 5000K 6500K	80LM/W
30W	140*149mm	Φ120mm		2700-6000K	
50W	168*179mm	Φ145mm			



Color:



Adjustable


FL1014



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ68*80mm	Φ55mm			
12W	Φ84*105mm	Φ75mm		2700K 3000K 4000K 5000K 6500K	
18W	Φ110*131.5mm	Φ95mm	15° 24° 38°		80LM/W
28W	Φ142*153mm	Φ125mm			
35W	Φ165*178mm	Φ150mm		2700-6000K	



Color:



Adjustable

FL1014




Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ68*68*80mm	Φ55*55mm			
12W	Φ84*84*105mm	Φ75*75mm		2700K 3000K	
18W	Φ110*110*131.5mm	Φ95*95mm	15° 24° 38°	4000K 5000K 6500K	80LM/W
28W	Φ142*142*153mm	Φ125*125mm		2700-6000K	
35W	Φ165*165*178mm	Φ150*150mm			



Adjustable

FL1015



Wattage	Size	Cutout	Beam angle	CCT	Lumen
5W	Φ60*H45mm	Φ50mm			
7W	Φ85*H57mm	Φ75mm		2700K 3000K	
10W	Φ97*H71mm	Φ85mm	15° 24°	4000K 5000K	80LM/W
18W	Φ130*H88mm	Φ115mm	38° 60°	6500K 2700-6000K	
24W	Φ158*H95mm	Φ150mm			




Circular / Square / brimless

Big Family








Excellent design

Big Family



Comfortable

Big Family



Fixed

Adjustable

Trimless

Square

Double


Fixed / Adjustable / Trimless




Big Family




Beauty, more than one




Big Family



Color:



FL1016



Wattage	Size	Cutout	Beam angle	CCT	Lumen
6W	Ø60xH78mm	Ø50mm			
8W	Ø63xH78mm	Ø55mm			
10W	Ø72.5xH83mm	Ø65mm			
10W	Ø72.5xH78mm	Ø65mm	15°	2700K	
12W	Ø86xH83mm	Ø75mm	24°	3000K	80LM/W
			38°	4000K	
			55°	5000K	
				6500K	
12W	Ø86xH99mm	Ø75mm		2700-6000K	
18W	Ø106xH125mm	Ø95mm			
30W	Ø106xH149mm	Ø120mm			

Big Family




Color:





FL1017



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Ø63*H45mm	Ø55mm	15°	2700K	90LM/W
12W	Ø83*H57mm	Ø75mm	24°	3000K	
20W	Ø104*H65mm	Ø95mm	36°	4000K	
			50°	5000K	
			2700-6000K	6500K	



Big Family



Trimless

Adjustable





Big Family

FL1018



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ61.6*85mm	Φ55mm	10° 15° 24° 38° 60°	2700K	80LM/W
15W	Φ84*100mm	Φ75mm		3000K	
30W	Φ110*128mm	Φ95mm		4000K	
7W	Φ61.6*85mm	Φ57mm		5000K	
15W	Φ84*100mm	Φ77mm		6500K	
30W	Φ110*128mm	Φ97mm		2700-6000K	



Trimless **Adjustable**





Big Family

FL1018

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ61.5*63.5*94mm	Φ55*55mm	10° 15° 24° 38° 60°	2700K	80LM/W
15W	Φ84.5*84.*116mm	Φ75*75mm		3000K	
30W	Φ104.5*104.5*144mm	Φ95*95mm		4000K	
7W	Φ61.5*63.5*94mm	Φ57*57mm		5000K	
15W	Φ84.5*84.*116mm	Φ77*77mm		6500K	
30W	Φ104.5*104.5*144mm	Φ97*97mm		2700-6000K	



Trimless

Adjustable





Big Family

FL1018



Wattage	Size	Cutout	Beam angle	CCT	Lumen
2*7W	Φ139.5*78.5*85mm	Φ126*65mm	10° 15° 24° 38° 60°	2700K	80LM/W
2*15W	Φ193.8*104.3*112mm	Φ177.5*88mm		3000K	
2*30W	238.5*124.5*139mm	Φ223*109mm		4000K	
2*7W	Φ128.5*67.5*H85mm	Φ128.5mm*67.5mm		5000K	
2*15W	Φ180mm*90.5*H112mm	Φ180mm*90.5mm		6500K	
2*30W	Φ225*111*H139mm	Φ225*111mm		2700-6000K	



Trimless

Adjustable




Big Family

FL1018

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
2*7W	Φ129.5*68.5*85mm	Φ120*60mm	10° 15° 24° 38° 60°	2700K	80LM/W
2*15W	Φ180*90.5*112mm	Φ164*77mm		3000K	
2*30W	Φ223.5*109.5*139mm	Φ207*95mm		4000K	
2*7W	Φ120*62*H85mm	Φ120*62mm		5000K	
2*15W	Φ166.5*79.5*H112mm	Φ166.5*79.5mm		6500K	
2*30W	Φ209*97*H139mm	Φ209*97mm		2700-6000K	



Big Family



Big Family



Trimless

Adjustable

FL1019

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
6W	Φ61.6*86mm	Φ55mm	10° 15° 24° 38° 50°	2700K	80LM/W
10W	Φ84*104mm	Φ75mm		3000K	
15W	Φ110*127mm	Φ95mm		4000K	
6W	Φ61.6*H86mm	Φ57.5mm		5000K	
10W	Φ75*H104mm	Φ77mm		6500K	
15W	Φ95*H127mm	Φ97mm		2700-6000K	



Big Family



Trimless Adjustable

FL1019

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control


Wattage	Size	Cutout	Beam angle	CCT	Lumen
6W	Φ63.5*63.5*94mm	Φ55*55mm	10° 15° 24° 38° 50°	2700K	80LM/W
10W	Φ84.5*84.5*116mm	Φ75*75mm		3000K	
15W	Φ104.5*104.5*144mm	Φ95*95mm		4000K	
6W	Φ63.5*63.5*94mm	Φ57.5*57.5mm		5000K	
10W	Φ84.5*84.5*116mm	Φ77*77mm		6500K	
18W	Φ104.5*104.5*144mm	Φ97*97mm		2700-6000K	



Trimless

Adjustable

FL1019



Wattage	Size	Cutout	Beam angle	CCT	Lumen
2*6W	Φ139.5*78.5*91mm	Φ126*65mm			
2*10W	Φ193.8*104.3*116mm	Φ177.5*88mm	10°	2700K	
2*15W	Φ238.5*124.5*142mm	Φ223*109mm	15°	3000K	
			24°	4000K	80LM/W
2*6W	Φ139.5*78.5*H91mm	Φ128.5mm*67.5mm	38°	5000K	
2*10W	Φ193.8*104.3*H116mm	Φ180mm*90.5mm	50°	6500K	
2*15W	Φ238.5*124.5*H142mm	Φ225*111mm		2700-6000K	

Big Family



Big Family




Trimless

Adjustable


FL1019

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
2*6W	Φ129.5*68.5*91mm	Φ120*60mm			
2*10W	Φ180*90.5*116mm	Φ164*77mm	10°	2700K	
2*15W	Φ223.5*109.5*142mm	Φ207*95mm	15°	3000K	
			24°	4000K	80LM/W
2*6W	ΦH91mm	Φ120*62mm	38°	5000K	
			50°	6500K	
2*10W	ΦH116mm	Φ166.5*79.5mm		2700-6000K	
2*15W	ΦH142mm	Φ209*97mm			




FL1021



Wattage	Size	Cutout	Beam angle	CCT	Lumen
6W	Φ62*H65mm	Φ55mm		2700K 3000K	80LM/W
10W	Φ72*H77mm	Φ65mm	15° 24° 36°	4000K 5000K	
10W	Φ82*H80mm	Φ75mm		6500K 2700-6000K	



FL1022



Wattage	Size	Cutout	Beam angle	CCT	Lumen
5W	Φ55*H120mm	Φ55mm	15° 24° 38°	2700K 3000K	80LM/W
7W	Φ75*H106mm	Φ65mm		4000K 5000K	
12W	Φ91*H120mm	Φ82mm		6500K	
15W	Φ128*H130mm	Φ120mm		2700-6000K	



Color:



FL1023



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ71*H50mm	Φ65mm		2700K 3000K	80LM/W
12W	Φ82*H58.5mm	Φ75mm	15° 24° 38°	4000K 5000K	
18W	Φ101*H66mm	Φ95mm	55°	6500K 2700-6000K	



FL1024

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	Φ90*H92mm	Φ75mm	15° 24°	2700K 3000K 4000K	80LM/W
18W	Φ106*H100mm	Φ95mm	38°	5000K 6500K 2700-6000K	



LED Recessed Downlight



Adjustable


IP54

FL1025


- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ83*H68mm	Φ75mm	15° 24°	2700K 3000K 4000K	80LM/W
12W	Φ100*H77mm	Φ95mm	36°	5000K 6500K 2700-6000K	





Color:



FL1026



Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	Φ85*H55mm	Φ75mm	20°	2700K 3000K 4000K	80LM/W
18W	Φ105*H63mm	Φ95mm	40°	5000K 6500K	
25W	Φ130*H77mm	Φ120mm		2700-6000K	

LED Recessed Downlight



Color:



Adjustable

IP65

FL1027



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ69.5*H64mm	Φ65mm	15° 24°	2700K 3000K 4000K	80LM/W
12W	Φ92*H73mm	Φ85mm	36°	5000K 6500K 2700-6000K	



LED Recessed Downlight




Color:



FL1028



Wattage	Size	Cutout	Beam angle	CCT	Lumen
12W	Φ84*65mm	Φ75mm	15°	2700K	80LM/W
			24°	3000K	
			45°	4000K	
18W	Φ104*70mm	Φ95mm	45°	5000K	80LM/W
				6500K	
				2700-6000K	





FL1029

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
5W	Φ60*H37mm	Φ55mm	15° 24°	2700K 3000K 4000K	80LM/W
7W	Φ70*H45mm	Φ65mm	36°	5000K 6500K	
10W	Φ80*H45mm	Φ75mm		2700-6000K	

Adjustable



FL1030

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	Φ85*H65mm	Φ75mm	15° 24° 36°	2700K	80LM/W
15W	Φ105*H78mm	Φ95mm		3000K	
2*10W	85*170*65mm	75*160mm		4000K	
2*15W	105*210*H78mm	95*200mm		5000K	
3*10W	85*252*H66mm	75*245mm		6500K	
				2700-6000K	


Color:





Adjustable

FL 1031



Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	Φ85*H56mm	Φ75mm	15°24°38°	2700K 3000K	80LM/W
10W	85*85*58mm	75*75mm	15°24°38°	3500K 4000K	
2*10W	85*170*58mm	75*160mm	15°24°38°	5000K	




Adjustable

FL1032



Wattage	Size	Cutout	Beam angle	CCT	Lumen
12W	Φ114*95mm	Φ100mm	10° 24° 36°	2700K 3000K 4000K 5000K 6500K	80LM/W
20W	Φ138*120mm	Φ125mm		2700-6000K	
30W	Φ165*145mm	Φ145mm		2700-6000K	

LED Recessed Downlight



Adjustable



FL 1033



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	85*H35mm	75mm		2700K 3000K	80LM/W
7W	85*W85*H35mm	75*75mm	10° 24°	3500K 4000K	
2*7W	L170*W85*H35mm	75*160mm	36° 60°	5000K	
3*7W	L247*W85*H35mm	75*233mm			

FL1034



Wattage	Size	Cutout	Beam angle	CCT	Lumen
8W	Ø60*42mm	Ø55mm	15°	2700K	80LM/W
10W	Ø80*50mm	Ø75mm	24° 38°	3000K 4000K	
18W	Ø100*62mm	Ø95mm	55°	5000K 6500K	
				2700-6000K	

LED Recessed Downlight



Adjustable

FL1035



Wattage	Size	Cutout	Beam angle	CCT	Lumen
3W	Φ40*H54mm	Φ35mm		2700K	
7W	Φ50*H71mm	Φ45mm	15°	3000K	80LM/W
12W	Φ60*H85mm	Φ55mm	24°	4000K	
15W	Φ70*H106mm	Φ65mm	36°	5000K	
				6500K	
				2700-6000K	

FL1036



Wattage	Size	Cutout	Beam angle	CCT	Lumen
6W	Φ93*H73mm	Φ75mm		2700K	
12W	Φ115*H90mm	Φ95mm	15-60°	3000K	80LM/W
25W	Φ143*H115mm	Φ120mm		4000K	
				5000K	
				6500K	
				2700-6000K	




Adjustable option: Honeycomb

FL1037-1

-  CRI > 90
-  UGR < 16
-  No flickering
-  white
-  black
-  Triac Dimming
-  1-10V Dimming
-  DALI Dimming
-  Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
8W	Φ53×100mm	Φ45mm	15° 24° 36°	2700K 3000K 3500K 4000K 5000K	80LM/W




Trimless

Adjustable

FL1037-2

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
8W	Φ53×100mm	Φ45mm	15° 24° 36°	2700K	80LM/W
8W	Φ63×100mm			3000K	
			3500K		
			4000K		
			5000K		





FL1038

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
3W	Φ38*H39mm	Φ30mm	15° 24° 36°	2700K 3000K 4000K 5000K 6500K	80LM/W
5W	Φ45*H50mm	Φ40mm			
6W	Φ57*H67mm	Φ50mm			
8W	Φ70*79mm	Φ60mm		2700-6000K	



Adjustable

FL1039

-  CRI > 90
-  UGR < 16
-  No flickering
-  white
-  black
-  Triac Dimming
-  1-10V Dimming
-  DALI Dimming
-  Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
3W	Φ30*57mm	Φ25mm	15° 24° 36°	2700K	80LM/W
6W	Φ43*67mm	Φ35mm		3000K	
6W	Φ42*70mm	Φ35mm		4000K	
				5000K	
9W	Φ52*74mm	Φ45mm		6500K	
				2700-6000K	




FL1040

-  CRI > 90
-  UGR < 16
-  No flickering
-  white
-  black
-  Triac Dimming
-  1-10V Dimming
-  DALI Dimming
-  Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
3W	Φ40×H28mm	Φ35mm	15° 24° 40°	2700K	45LM/W
				3000K	
				4000K	
				5000K	
				6500K	
				2700-6000K	

Adjustable



Adjustable

FL1041


- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
3W	Φ50×H28mm	Φ45mm	15°	2700K	45LM/W
			24°	3000K	
			40°	4000K	
				5000K	
				6500K	
				2700-6000K	



Adjustable

FL1042



Wattage	Size	Cutout	Beam angle	CCT	Lumen
3W	Φ42*H53mm	Φ35mm	5°	2700K	45LM/W
			8°	3000K	
			10°	4000K	
			15°	5000K	
			24°	6500K	
			2700-6000K		



Adjustable

FL1043

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
3W	Φ52*H50mm	Φ45mm	5°	2700K	80LM/W
			8°	3000K	
			10°	4000K	
			15°	5000K	
			24°	6500K	
			2700-6000K		



Adjustable

FL1044


- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
5W	Φ65*H71mm	Φ55mm	15° 24°	2700K 3000K 4000K 5000K 6500K 2700-6000K	80LM/W



Adjustable

FL1045



Wattage	Size	Cutout	Beam angle	CCT	Lumen
6W	Φ43*64.5mm	Φ35mm	15°	2700K 3000K 4000K 5000K	78LM/W
6W	Φ50*65mm	Φ45mm	24° 36°	6500K 2700-6000K	



Adjustable

FL1046

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
6W	Φ50*H102mm	Φ40mm	15° 24° 38°	2700K 3000K 4000K 5000K 6500K	80LM/W
12W	Φ73*H118mm	Φ67mm		2700-6000K	
20W	Φ95*H135mm	Φ87mm			

LED Recessed Downlight



Trimless Adjustable

FL1047


- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ66*H67MM	Φ60MM	15°24°36°60°	2700K	80LM/W
7W	Φ66*H67MM	Φ60MM	15°24°36°60°	3000K	
7W	Φ71*71*H76MM	Φ65*65MM	15°24°36°60°	3500K	
7W	Φ71*71*H76MM	Φ65*65MM	15°24°36°60°	4000K	
7W	Φ71*71*H76MM	Φ65*65MM	15°24°36°60°		


FL 1048

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	Φ82*H53mm	Φ75mm	24° 36° 50°	2700K	90LM/W
12W	Φ96*H58mm	Φ85mm		3000K	
15W	Φ106*H63mm	Φ95mm		3500K	
20W	Φ123*H68mm	Φ110mm		4000K	
30W	Φ155*H76mm	Φ145mm			
40W	Φ185*H83mm	Φ170mm			



Color:



FL1049



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Ø52xH55mm	Ø45mm			
10W	Ø65xH61mm	Ø55mm			
12W	Ø75xH70mm	Ø65mm	18°24°38°	2700K	80LM/W
18W	Ø85xH80mm	Ø75mm		3000K	
25W	Ø106xH100mm	Ø95mm		3500K	
40W	Ø135xH124mm	Ø120mm	4000K		



FL1050

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ31*H100mm			2700K	
9W	Φ31*H200mm	Φ75MM	12° - 50°	3000K	80LM/W
12W	Φ31*H300mm			3500K	
				4000K	




PRODUCT ANALYSIS



FL1051



Wattage	Size	Cutout	Beam angle	CCT	Lumen
5W	Φ62*25mm	Φ55mm	18° 24° 36° 60°	2700K	90LM/W
9W	Φ72*28mm	Φ65mm		3000K	
12W	Φ83*31mm	Φ75mm		3500K	
15W	Φ105*34.5mm	Φ95mm		4000K	






Big Family





Big Family



Big Family



Big Family



FL1052

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	62*70mm	55mm	18° 24° 36° 60°	2700K 3000K 3500K 4000K	90LM/W
9W	62*85mm	55mm			
12w	84*80mm	75mm			
18w	84*110mm	75mm			
30w	110*130mm	95mm			
40w	140*155mm	125mm			
50w	166*175mm	150mm			

Big Family



Adjustable angle

15°/24°

36°

55°

Direct illumination




Adjustable

FL1053



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ65×86mm	Φ55mm		2700K	90LM/W
12W	Φ85×105mm	Φ75mm	15° 24°	3000K	
25W	Φ105×132mm	Φ95mm	36°	3500K	
35W	Φ135×125mm	Φ125mm	60°	4000K	



FL2001

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
6W	Φ90*H47mm	Φ82mm	120°	2700K 3000K 4000K 5000K 6500K 2700-6000K	80LM/W
10W	Φ119*H50mm	Φ112mm			
20W	Φ175*H56mm	Φ168mm			
9W	110*110*50mm	105*105mm			
15W	145*145*55mm	135*135mm			
20W	170*170*55mm	160*160mm			



FL 2002



Wattage	Size	Cutout	Beam angle	CCT	Lumen
8W	Φ115*H48mm	Φ105mm	120°	2700K	80LM/W
15W	Φ145*H60mm	Φ135mm		3000K	
18W	Φ159*H60mm	Φ150mm		4000K	
24W	Φ190*H60mm	Φ175mm		5000K	
30W	Φ230*H72mm	Φ215mm		6500K	
				2700-6000K	






FL2003



Color:





Wattage	Size	Cutout	Beam angle	CCT	Lumen
9W	Φ86*H55mm	Φ75mm			
15W	Φ101*H60mm	Φ90mm			
25W	Φ140*H73mm	Φ125mm	12° 24° 38° 55°	2700K 3000K 4000K 5000K 6500K	80LM/W
30W	Φ155*H86mm	Φ140mm			
35W	Φ180*H94mm	Φ165mm		2700-6000K	
45W	Φ214*H110mm	Φ200mm			

IP65




FL2004



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ90*H47mm	Φ75mm	60°	2700K 3000K 4000K 5000K 6500K 2700-6000K	80LM/W
10W	Φ110*H60mm	Φ95mm			
20W	Φ130*H70mm	Φ115mm			
30W	Φ165*H80mm	Φ150mm			
40W	Φ225*H90mm	Φ205mm			



FL2005



Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	Φ110*H65mm	Φ95mm			
15W	Φ135*H72mm	Φ110mm			
25W	Φ160*H75mm	Φ130mm	50° 110°	2700K 3000K 4000K 5000K 6500K	80LM/W
40W	Φ195*H107mm	Φ170mm			
55W	Φ235*H127mm	Φ200mm		2700-6000K	



FL 2006

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ88*H46mm	Φ75mm	80°	2700K 3000K 4000K 5000K 6500K 2700-6000K	80LM/W
10W	Φ105*H60mm	Φ90mm			
12W	Φ130*H68mm	Φ110mm			
20W	Φ185*H93mm	Φ165mm			
30W	Φ220*H98mm	Φ195mm			

LED Recessed Downlight



IP54



FL2007



Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	Φ100*H75mm	Φ90mm	45°	2700K	80LM/W
20W	Φ140*H90mm	Φ130mm		3000K	
30W	Φ185*H112mm	Φ170mm		4000K	
40W	Φ230*H128mm	Φ200mm		5000K	
				6500K	
			2700-6000K		



IP65

FL2008



Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	Φ85*54mm	Φ75mm	15° 24° 38° 55°	2700K	80LM/W
15W	Φ105*65mm	Φ95mm		3000K	
25W	Φ131*75mm	Φ115mm		4000K	
35W	Φ150*80mm	Φ135mm		5000K	
45W	Φ191*95mm	Φ175mm		6500K	
55W	Φ215*105mm	Φ200mm		2700-6000K	



Fixed

Adjustable

FL 2009




Wattage	Size	Cutout	Beam angle	CCT	Lumen
30W	160*133mm	145mm	24° 40° 60°	2700K 3000K 3500K 4000K	90LM/W
40W	160*153mm	145mm			
50W	185*136mm	165mm			
60W	185*156mm	165mm			
70W	230*176mm	205mm			
90W	230*181mm	205mm			

FL 2009



Wattage	Size	Cutout	Beam angle	CCT	Lumen
30W	142*138mm	115mm	24° 40° 60°	2700K 3000K 3500K 4000K	90LM/W
35W	180*129mm	150mm			
40W	180*149mm	150mm			
50W	194*129mm	165mm			
60W	194*149mm	165mm			
70W	233*169mm	215mm			
90W	233*176mm	215mm			




FL 2010



Wattage	Size	Cutout	Beam angle	CCT	Lumen
9W	Φ115*H65MM	Φ100MM	60°		
18W	Φ140*H80MM	Φ125MM	60°	2700K	
25W	Φ160*H85MM	Φ145MM	60°	3000K	80LM/W
35W	Φ198*H98MM	Φ180MM	60°	3500K	
45W	Φ230*H102MM	Φ180MM	60°	4000K	



FL 2011



Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ82*H43mm	Φ75MM	60°	2700K	80LM/W
10W	Φ103*H50mm	Φ95MM		3000K	
15W	Φ133*H55mm	Φ125MM		3500K	
				4000K	



LED Linear Light Series



Option:



FL3001

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
2W	45*45*50mm	37*37mm			
2W*2	75*45*50mm	67*37mm		2700K 3000K	
2W*5	147*45*50mm	139*37mm	15°	4000K	80LM/W
2W*10	279*45*50mm	272*37mm	30°	5000K	
2W*15	411*45*50mm	403*37mm	45°	6500K 2700-6000K	
2W*3	94*45*40mm	86*35mm			
2w*6	173*45*40mm	162*35mm			
2w*12	332*45*40mm	325*35mm			

LED Linear light



Adjustable

FL3001

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
2W*1	59*59*50mm	53*50mm			
2W*2	88*59*50mm	82*50mm		2700K 3000K 4000K 5000K 6500K	80LM/W
2W*5	158*59*50mm	155*50mm			
2W*10	291*59*50mm	285*50mm			
2W*15	426*59*50mm	420*50mm	15° 30° 45°	2700-6000K	
2W*10	168*122*53mm	155*100mm			
2W*20	300.5*122*53mm	285*100mm			
2W*30	433.5*122*53mm	420*100mm			
2W*3	105*60*50mm	98*50mm			
2w*6	186*60*50mm	180*50mm			
2w*12	344*60*50mm	340*50mm			



1 LED | 3W



2 LED | 5W




3 LED | 8W



5 LED



4 LED



9 LED



FL 3002

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
3W	40*40*H42.2mm	35*35 mm	30°	2700K 3000K 4000K 5000K 6500K 2700-6000K	50LM/W
5W	69*40*H42.2mm	65*35 mm			
8W	100*40*H42.2mm	95*35 mm			
10W	70*70*H42.2 mm	65*65 mm			
12W	160*40*H42.2 mm	155*35 mm			
18W	100*100*H42.2 mm	95*95 mm			



FL 3003

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
1W	30.5*30.5*35.6mm	26*26mm	30°	2700K 3000K 4000K 5000K 6500K 2700-6000K	50LM/W
3W	68.5*30.5*35.6mm	64*26mm			
4W	49.5*49.5*35.6mm	45*45mm			
6W	125.5*30.5*35.6mm	121*26mm			
9W	68.5*68.5*35.6 mm	64*64mm			
12W	239.5*30.5*35.6mm	235*26mm			
16W	87.5*87.5*35.6mm	83*83mm			
25W	105.9*105.9*35.6mm	101.5*101.5mm			


Widely Using for Bathroom, Supermarket, factory, warehouse school, hospital etc.




- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

FL3004


Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	95*45*49.5 mm	87*37 mm	15°	2700K 3000K 4000K 5000K 6500K	50LM/W
13W	174*45*49.5 mm	165*37 mm		2700-6000K	
24W	333*45*49.5 mm	325*37 mm			



1. Cutout



2. Fold up the spring clips and gently insert one side into the cut out hole.



3. pushing in the other side. Assembly complete.




High power LED track light emit high quality light ray, basing on adoption of shape of metal halide light and unique light distribution design

FL 3005

-  CRI > 90
-  UGR < 16
-  No flickering
-  white
-  black
-  Triac Dimming
-  1-10V Dimming
-  DALI Dimming
-  Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	140*37*86mm		15° 24° 38°	2700K	80LM/W
20W	272*37*86mm	//		3000K	
30W	405*37*86mm			4000K	
				5000K	
				6500K	
				2700-6000K	



■ 无边嵌入式 / 便捷明装式 / 简约吊装式
Rimless embeded / surface mounted / lifting type



M-DBS-S006

光源	
Light Source	OSRAM
输入功率	
Input	6W
尺寸	
Size	100*23*15mm
光束角	
Beam Angle	15° 25° 30° 60°
材质	
Material	Aluminum

M-DBS-S012

光源	
Light Source	OSRAM
输入功率	
Input	12W
尺寸	
Size	195*23*15mm
光束角	
Beam Angle	15° 25° 30° 60°
材质	
Material	Aluminum

M-DBS-S018

光源	
Light Source	OSRAM
输入功率	
Input	18W
尺寸	
Size	292*23*15mm
光束角	
Beam Angle	15° 25° 30° 60°
材质	
Material	Aluminum



M-DBS-M200

光源	
Light Source	OSRAM
输入功率	
Input	6W
尺寸	
Size	195*23*15mm
光束角	
Beam Angle	Diffuse
材质	
Material	Aluminum

M-DBS-M400

光源	
Light Source	OSRAM
输入功率	
Input	16W
尺寸	
Size	388*23*15mm
光束角	
Beam Angle	Diffuse
材质	
Material	Aluminum

M-DBS-M600

光源	
Light Source	OSRAM
输入功率	
Input	25W
尺寸	
Size	579*23*15mm
光束角	
Beam Angle	Diffuse
材质	
Material	Aluminum



**M-DBS-SL006**

光源	
Light Source	OSRAM
输入功率	
Input	6W
尺寸	
Size	100*198*22mm
光束角	
Beam Angle	15° 25° 30° 60°
材质	
Material	Aluminum

M-DBS-SL012

光源	
Light Source	OSRAM
输入功率	
Input	12W
尺寸	
Size	195*198*22mm
光束角	
Beam Angle	15° 25° 30° 60°
材质	
Material	Aluminum

M-DBS-SL018

光源	
Light Source	OSRAM
输入功率	
Input	18W
尺寸	
Size	292*198*22mm
光束角	
Beam Angle	15° 25° 30° 60°
材质	
Material	Aluminum

**M-DBS-ML200**

光源	
Light Source	OSRAM
输入功率	
Input	8W
尺寸	
Size	195*198*22mm
光束角	
Beam Angle	Diffuse
材质	
Material	Aluminum

M-DBS-ML400

光源	
Light Source	OSRAM
输入功率	
Input	16W
尺寸	
Size	388*198*22mm
光束角	
Beam Angle	Diffuse
材质	
Material	Aluminum

M-DBS-ML600

光源	
Light Source	OSRAM
输入功率	
Input	25W
尺寸	
Size	580*198*22mm
光束角	
Beam Angle	Diffuse
材质	
Material	Aluminum

**M-DBS-1700S**

光源	
Light Source	OSRAM
输入功率	
Input	5W
尺寸	
Size	Ø40*90mm
光束角	
Beam Angle	24° 36° 60°
材质	
Material	Aluminum

M-DBS-1700M

光源	
Light Source	OSRAM
输入功率	
Input	10W
尺寸	
Size	Ø40*120mm
光束角	
Beam Angle	24° 36° 60°
材质	
Material	Aluminum

M-DBS-1700L

光源	
Light Source	OSRAM
输入功率	
Input	15W
尺寸	
Size	Ø40*180mm
光束角	
Beam Angle	24° 36° 60°
材质	
Material	Aluminum

**M-DBS-P1700S**

光源	
Light Source	OSRAM
输入功率	
Input	5W
尺寸	
Size	Ø30*300mm
光束角	
Beam Angle	24°/36°
材质	
Material	Aluminum

M-DBS-P1700M

光源	
Light Source	OSRAM
输入功率	
Input	10W
尺寸	
Size	Ø40*300mm
光束角	
Beam Angle	24°/36°
材质	
Material	Aluminum





M-DBS-P1718

光源	OSRAM
Light Source	OSRAM
输入功率	10W
Input	10W
尺寸	Ø60*150mm
Size	Ø60*150mm
光束角	10°-60°
Beam Angle	10°-60°
材质	Aluminum
Material	Aluminum

focus



M-DBS-P1715

光源	OSRAM
Light Source	OSRAM
输入功率	5W
Input	5W
尺寸	Ø55*400mm
Size	Ø55*400mm
光束角	24°
Beam Angle	24°
材质	Aluminum
Material	Aluminum



M-DBS-B

长度 Length:	1M/2M/3M
尺寸 Size:	L1000 / L2000 / L3000*W26*H52.5mm
材质 Material:	Aluminum



M-DBS-C

长度 Length:	1M/2M/3M
尺寸 Size:	L1000 / L2000 / L3000*W70*H52.5mm
材质 Material:	Aluminum



M-DBS-B-Z

尺寸 Size:	80*80mm
材质 Material:	Aluminum



M-DBS-B-I

尺寸 Size:	80*80mm
材质 Material:	Aluminum



M-DBS-B-O

尺寸 Size:	80*80mm
材质 Material:	Aluminum



M-DBS-C-Z

尺寸 Size:	80*80mm
材质 Material:	Aluminum



M-DBS-C-I

尺寸 Size:	80*80mm
材质 Material:	Aluminum



M-DBS-C-O

尺寸 Size:	80*80mm
材质 Material:	Aluminum



M-DBS-H

Live-end Connector	
尺寸 Size:	143.7*16*17mm
材质 Material:	Aluminum



M-DBS-H1

Track Interior Connector	
尺寸 Size:	143*16.2*16.8mm
材质 Material:	Aluminum



M-DBS-I

Track Fixed	
尺寸 Size:	80*22*5mm
材质 Material:	Aluminum



M-DBS-end cap

Track End Cap	
尺寸 Size:	26*52mm
材质 Material:	Aluminum



M-DBS-H4

Corner Connection	
尺寸 Size:	342*16.5*18.5mm
材质 Material:	Aluminum







LED Surface Downlight Series

Installation


1 Fix the fitting with screws




2 Connect the 220V



3 Fix the light body



4 Finished



LED Surface Downlight

LED Surface Downlight



FL5001



Wattage	Size	Cutout	Beam angle	CCT	Lumen
9W	Φ90*H90mm				
12W	Φ110*H120mm				
20W	Φ130*H152mm				
30W	Φ170*H185mm	//	20°	2700K	80LM/W
40W	Φ195*H195mm		45°	3000K	
				4000K	
				5000K	
9W	Φ90*90*H90mm			6500K	
				2700-6000K	
15W	110*110*H120mm				
25W	130*130*H135mm				
35W	160*160*H165mm				

FL5002



Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	72*H78mm				
18W	72.5*72.5*H78mm		15°	2700K	
			24°	3000K	
10W	94*H95mm	//	38°	4000K	80LM/W
			55°	5000K	
				6500K	
18W	91*91*H95mm			2700-6000K	



Adjustable

FL 5003

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	Φ79*H110mm	//	15°	2700K	80LM/W
10W	Φ79*79*H110mm		24°	3000K	
		36°	4000K		
			5000K		
			6500K		
				2700-6000K	



FL5004

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
9W	Φ75*100mm				
12W	Φ75*152mm				
12W	Φ95*100mm				
18W	Φ95*152mm		20° 40°	2700K 3000K 4000K 5000K 6500K 2700-6000K	80LM/W
25W	Φ115*152mm	//			
40W	Φ140*162mm				
50W	Φ170*182mm				
80W	Φ205*212mm				



Adjustable



FL 5005

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
5W	Φ65*H70mm	//	15°	2700K	80LM/W
9W	Φ85*H80mm		24°	3000K	
		36°	4000K		
			5000K		
			6500K		
			2700-6000K		

LED Surface Downlight



IP65

FL5006

-
-
-
-
-
-
-
-
-

Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	Φ95*H40mm				
10W	Φ110*H40mm	//	20° 24° 36° 48°	2700K	80LM/W
15W	Φ119*H45mm			3000K	
20W	Φ164*H45mm			4000K	
30W	Φ209*H45mm			5000K	
				6500K	
			2700-6000K		

FL5007

-
-
-
-
-
-
-
-
-

Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	75*75*95mm				
12W	75*75*140mm	//	20° 40°	2700K	80LM/W
18W	95*95*105mm			3000K	
18W	95*95*150mm	4000K			
20W	115*115*110mm	5000K			
20W	115*115*160mm	6500K			
			2700-6000K		



FL 5008

-  CRI > 90
-  UGR < 16
-  No flickering
-  white
-  black
-  Triac Dimming
-  1-10V Dimming
-  DALI Dimming
-  Wireless dimming and CCT control


Wattage	Size	Cutout	Beam angle	CCT	Lumen
12W	Φ74*H147MM	//	15°24°38°60°		
20W	Φ97*H152MM	//	15°24°38°60°	2700K	
25W	Φ115*H125MM	//	15°24°38°60°	3000K	
35W	Φ140*H160MM	//	15°24°38°60°	3500K	80LM/W
50W	Φ171*H198MM	//	15°24°38°60°	4000K	
60W	Φ186*H214MM	//	15°24°38°60°		




LED Track light Series

Installation


1.




2.




3.



4.




A



Use screw to fix the track rail

B



track box fix the track rail

LED Track Light



Adjustable

FL 6001

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	48*120mm	two wires		2700K	
12W	58*135mm	two wires	15°	3000K	90LM/W
20W	68*155mm	two wires	24°	3500K	
			36°	4000K	
30W	80*155mm	two wires	50°		




Adjustable

FL 6002

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
7W	50*128mm			2700K	
15W	66*158mm	Two wires	24°	3000K	80LM/W
25W	76*180mm	Three wires	36°	3500K	
				4000K	



Adjustable

FL 6003

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	50*100mm	two wires	15° 24° 36°	2700K	80LM/W
20W	60*135mm			3000K	
30W	80*150mm			3500K	
40W	90*178mm			4000K	

LED Track Light



Adjustable

Adjustable

FL 6004

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

FL 6005

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
10W	Φ58*152mm	two wires	15°-60°	2700K	80LM/W
20W	Φ74*183mm	two wires	15°-60°	3000K	
				3500K	
30W	Φ85*302mm	two wires	15°-60°	4000K	

Wattage	Size	Cutout	Beam angle	CCT	Lumen
40W	Φ106*130H195MM	two wires	15°24°36°60°	2700K	80LM/W
				3000K	
40W	Φ106*130H170MM	two wires	15°24°36°60°	3500K	
				4000K	

LED Track Light



Adjustable



FL 6006

- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
12W	50*120mm			2700K	
20W	60*160mm	two wires	15°	3000K	80LM/W
			24°	3500K	
30W	75*150mm	two wires	36°	4000K	

FL 6007


- CRI > 90
- UGR < 16
- No flickering
- white
- black
- Triac Dimming
- 1-10V Dimming
- DALI Dimming
- Wireless dimming and CCT control

Wattage	Size	Cutout	Beam angle	CCT	Lumen
12W	55*140mm			2700K	
20W	65*147mm	two wires	15°-55°	3000K	80LM/W
30W	75*159mm	two wires		3500K	
40W	85*165mm			4000K	

LED Pendant Linear Light



LED Pendant Linear Light



可选样式
Optional styles



灯体可选颜色




可选样式
Optional styles



灯体可选颜色



安装方式
Installation method




安装配件
Installation accessories



FL 3560

Wattage	Size	Beam angle	CCT	Lumen
25W	L670*W35*H60	15° 24° 36°	2700K	100LM/W
30W	L810*W35*H60		3000K	
40W	L1070*W35*H60		3500K	
45W	L1200*W35*H60		4000K	

安装方式
Installation method



安装配件
Installation accessories



FL 3560

Wattage	Size	Beam angle	CCT	Lumen
25W	L670*W38*H80	15° 24° 36°	2700K	100LM/W
30W	L810*W38*H80		3000K	
35W	L940*W38*H80		3500K	
40W	L1070*W38*H80		4000K	
45W	L1200*W38*H80			


LED Pendant Linear Light



可选样式
Optional styles



灯体可选颜色
WH BK



可选样式
Optional styles




灯体可选颜色
WH BK



FLA100

Wattage	Size	Beam angle	CCT	Lumen
36W	L1200*A*H100	60° 90°	2700K	100LM/W
			3000K	
			3500K	
			4000K	
		One size wall washer Double size wall washer		

安装方式
Installation method



吊装式

安装配件
Installation accessories




钢丝绳

FL 1670

Wattage	Size	Beam angle	CCT	Lumen
30W	L1200*W16*H70	15° 30° 45°	2700K	100LM/W
			3000K	
			3500K	
			4000K	

安装方式
Installation method




安装配件
Installation accessories



钢丝绳

吸顶盘


LED Pendant Linear Light



可选样式
Optional styles




灯体可选颜色



可选样式
Optional styles



灯体可选颜色



FL 2325

Wattage	Size	Beam angle	CCT	Lumen
36W	L1084*W23*H25	15°	2700K	100LM/W
		30°	3000K	
		38°	3500K	
		120°	4000K	

安装方式
Installation method



吊装式

安装配件
Installation accessories



钢丝绳

吸顶盘

FL R38

Wattage	Size	Beam angle	CCT	Lumen
30W	L1140*W38*H38	15°	2700K	100LM/W
		24°	3000K	
		36°	3500K	
		4000K		

安装方式
Installation method



吊装式

安装配件
Installation accessories



钢丝绳

吸顶盘

LED Pendant Linear Light



可选样式
Optional styles




灯体可选颜色



可选样式
Optional styles




灯体可选颜色



FL 4585

Wattage	Size	Beam angle	CCT	Lumen
40W	L1145*W45*H85	15° 30° 45°	2700K 3000K 3500K 4000K	100LM/W

安装方式
Installation method




安装配件
Installation accessories



FL 5075

Wattage	Size	Beam angle	CCT	Lumen
36W	L1200*W50*H75	120°	2700K 3000K 3500K 4000K	100LM/W

安装方式
Installation method




安装配件
Installation accessories



LED Pendant Linear Light



可选样式
Optional styles




灯体可选颜色



可选样式
Optional styles



灯体可选颜色



FL 6880

Wattage	Size	Beam angle	CCT	Lumen
36W	L1200*W68*H80	120°	2700K 3000K 3500K 4000K	100LM/W

安装方式
Installation method




吊装式

安装配件
Installation accessories



钢丝绳

安装方式
Installation method



安装配件
Installation accessories



轨道头

万通控制板

钢丝绳

FL 6550

Wattage	Size	Beam angle	CCT	Lumen
36W	L1150*W65*H50	120°	2700K 3000K 3500K 4000K	100LM/W



灯体可选颜色




可选样式
Optional styles



FL 6880

Wattage	Size	Beam angle	CCT	Lumen
40W	L1400*W280	90°	2700K	100LM/W
			3000K	
			3500K	
			4000K	

安装方式
Installation method




吊钩式

安装配件
Installation accessories




吸顶盘

钢丝绳










产品规格
Product parameters

单灯款
1000mm灯具+1100mm漫反射灯罩

























拼接款
一组 570mm+100mm 每加1组+670mm(可任意增加长度)

























Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-001		Φ90*25	Φ75	Color: white+Black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-012		Φ80*43	Φ80	Color: white +Black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-002		Φ95*40	Φ75	Color: white+Black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-013		Φ80*43	Φ80	Color: white Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-003		95*95*40	Φ75	Color: white+Black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-014		Φ80*43	Φ80	Color: white + shiny black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-004		Φ85*35	Φ70	Color: white+Black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-015		Φ80*27	Φ80	Color: white Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-005		Φ85*35	Φ70	Color: white Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-016		Φ80*43	Φ80	Color: white + black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-006		85*85*45	80*80	Color: white +Black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-017		75*75*55	76*76	Color: white + black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-007		90*90*55	82*82	Color: white +Black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-018		Φ85*35	Φ75	Color: white + black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-008		Φ85*47	Φ75	Color: white Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-019		Φ85*45	Φ75	Color: white + black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-009		Φ85*59	Φ75	Color: white +Black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-020		Φ85*45	Φ75	Color: white + black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-010		Φ85*59	Φ75	Color: white Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-021		Φ85*45	Φ75	Color: white + black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-011		Φ85*59	Φ75	Color: white +Shiny Black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-022		Φ85*45	Φ75	Color: white + black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable















































Mr16/GU10 Fixture Serious

Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-023		Φ85*35	Φ75	Color: white + black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-034		Φ80*123	Φ80	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-024		Φ85*45	Φ75	Color: white + black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-035		Φ80*140	Φ80	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-025		Φ85*45	Φ75	Color: white + black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-036		Φ80*138	Φ80	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-026		Φ85*45	Φ75	Color: white Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-037		Φ95*123	Φ75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-027		Φ85*45	Φ75	Color: white Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-038		Φ95*140	Φ75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-028		100*100*95	85*85	Color: white + black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-039		Φ95*138	Φ75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-029		190*100*95	160*85	Color: white + black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-040		95*95*123	Φ75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-030		260*100*95	230*85	Color: white + black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-041		95*95*140	Φ75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-031		100*100*100		Color: white /black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-042		95*95*138	Φ75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-032		100*200*100		Color: white /black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-043		Φ90*123	Φ75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-033		100*300*100		Color: white /black Material: Aluminum+ PC Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-044		Φ90*140	Φ75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable

Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-045		Φ90*138	Φ75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-056		Φ52*85*150		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-046		92*92*123	75*75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-057		Φ52*85*148		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-047		92*92*140	75*75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-058		Φ52*130		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-048		92*92*138	75*75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-059		Φ52*130		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-049		160*92*126	135*75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-060		Φ52*130		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-050		160*92*142	135*75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-061		Φ52*145		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-051		160*92*139	135*75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-062		Φ52*192		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-052		230*92*126	205*75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-063		Φ52*192		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-053		230*92*139	205*75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-064		Φ52*192		Color: white Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-054		230*92*142	205*75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-065		Φ52*100		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-055		Φ52*85*130		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-066		Φ52*108		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed























Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-067		Φ52*100		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-078		344*60*120		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-068		Φ52*110		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-079		344*60*139		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-069		Φ52*108		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-080		344*60*137		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-070		Φ52*200		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-081		Φ86*H60mm	Φ75mm	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Fixed
FL-MR16-071		Φ52*200		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-082		Φ86*H60mm	Φ75mm	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Adjustable
FL-MR16-072		140*55*129		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-083		Φ86*H60mm	Φ75mm	Sand White/sand Black+Gary middle ring; Round beam inner ring:Sand White/sand Black+Black	Fixed
FL-MR16-073		140*55*146		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-084		Φ86*H60mm	Φ75mm	Sand White/sand Black+Gary middle ring; Round beam inner ring:Sand White/sand Black+Black	Adjustable
FL-MR16-074		140*55*144		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-085		Φ86*H60mm	Φ75mm	Sand White/sand Black+Gary middle ring; Antiglare inner ring:Sand White/sand Black+Black;	Adjustable
FL-MR16-075		140*55*129		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-086		Φ 194*104*H65 mm	Φ182x92	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Fixed
FL-MR16-076		140*55*146		Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-087		Φ 194*104*H65 mm	Φ182x92	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Adjustable
FL-MR16-077		140*55*144		Color: white Material: Aluminum+ PC Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-088		Φ 194*104*H65 mm	Φ182x92	Sand White/sand Black+Gary middle ring; Round beam inner ring:Sand White/sand Black+Black	Fixed


Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-089		Φ 194*104*H65 mm	Φ182x92	Sand White/sand Black+Gary middle ring; Round beam inner ring:Sand White/sand Black+Black	Adjustable	FL-MR16-100		Φ108*H57mm	Φ75mm	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Adjustable
FL-MR16-090		Φ 194*104*H65 mm	Φ182x92	Sand White/sand Black+Gary middle ring; Antiglare inner ring:Sand White/sand Black+Black;	Adjustable	FL-MR16-101		Φ246x 89xH72mm	Φ182*92mm	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Fixed
FL-MR16-091		Φ127*H60mm	Φ75mm	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Fixed	FL-MR16-102		Φ246x 89xH72mm	Φ182*92mm	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Adjustable
FL-MR16-092		Φ127*H60mm	Φ75mm	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Adjustable	FL-MR16-103		Φ246x 89xH62mm	Φ182*92mm	Sand White/sand Black+Gary middle ring; Round beam inner ring:Sand White/sand Black+Black	Fixed
FL-MR16-093		Φ127*H60mm Hole size:	Φ75mm	Sand White/sand Black+Gary middle ring; Round beam inner ring:Sand White/sand Black+Black	Fixed	FL-MR16-104		Φ246x 89xH72mm	Φ182*92mm	Sand White/sand Black+Gary middle ring; Round beam inner ring:Sand White/sand Black+Black	Adjustable
FL-MR16-094		Φ127*H60mm	Φ75mm	Sand White/sand Black+Gary middle ring; Round beam inner ring:Sand White/sand Black+Black	Adjustable	FL-MR16-105		Φ246x 89xH62mm	Φ182*92mm	Sand White/sand Black+Gary middle ring; Antiglare inner ring:Sand White/sand Black+Black;	Adjustable
FL-MR16-095		Φ127*H60mm	Φ75mm	Sand White/sand Black+Gary middle ring; Antiglare inner ring:Sand White/sand Black+Black;	Adjustable	FL-MR16-106		89*89*H70mm	Φ82*82mm	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Fixed
FL-MR16-096		Φ108*H57mm	Φ75mm	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Fixed	FL-MR16-107		Φ 89*89*H70mm	Φ82*82mm	Sand White/sand Black+Gary middle ring; Round beam inner ring:Sand White/sand Black+Black	Fixed
FL-MR16-097		Φ108*H57mm	Φ75mm	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Adjustable	FL-MR16-108		172*89*H70mm	Φ163*82mm	MR16 Series-Edged(Without heatsink)(IP20) Description: Adjustable Recessed Spotlight(Without heatsink) Surface Treatment:Nano Powder/Paint Spray/Electroplate Material:Alu./ADC12 Fitting Color: Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Fixed
FL-MR16-098		Φ108*H57mm	Φ75mm	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Fixed	FL-MR16-109		Φ 172*89*H70mm	Φ163*82mm	Sand White/sand Black+Gary middle ring; Round beam inner ring:Sand White/sand Black+Black	Fixed
FL-MR16-099		Φ108*H57mm	Φ75mm	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Adjustable	FL-MR16-110		Φ 89*89*H70mm	Φ82*82mm	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Fixed























Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-111		Φ 89*89*H70mm	Φ82*82mm	Sand White/sand Black+Gary middle ring; Round beam inner ring:Sand White/sand Black+Black	Fixed	FL-MR16-122		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-112		Φ 172*89*H70mm	Φ163*82mm	Sand White/sand Black+Gary middle ring; Reflector cover:Matt White/Matt black/ Sand Sliver/Sand gold/ Chrome/Pearl black	Fixed	FL-MR16-123		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-113		Φ 172*89*H70mm	Φ163*82mm	Sand White/sand Black+Gary middle ring; Round beam inner ring:Sand White/sand Black+Black	Fixed	FL-MR16-124		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-114		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-125		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-115		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-126		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-116		Φ78mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-127		Φ85mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-117		Φ78mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-128		Φ106mm	Φ90mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-118		Φ105mm	Φ85mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-129		Φ106mm	Φ90mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-119		Φ100mm	Φ85mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-130		Φ105mm	Φ90mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-120		Φ90mm	Φ80	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-131		Φ105mm	Φ90mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-121		Φ92mm	Φ85mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-132		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable

Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-133		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-144		Φ85mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-134		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-145		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-135		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-146		Φ85mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-136		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-147		Φ75mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-137		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-148		Φ75mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-138		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-149		Φ85mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-139		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-150		Φ110mm	Φ100mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-140		Φ85mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-151		Φ110mm	Φ100mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-141		Φ85mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-152		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-142		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-153		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-143		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-154		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable

Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-155		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-166		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-156		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-167		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-157		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-168		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-158		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-169		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-159		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-170		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-160		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-171		Φ110*110 mm	Φ100*100mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-161		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-172		Φ205*110 mm	Φ195*100mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-162		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-173		Φ110*110 mm	Φ100*100mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-163		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-174		Φ205*110 mm	Φ195*100mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-164		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-175		Φ113mm	Φ95mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-165		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-176		Φ85mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable




















Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-177		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-188		Φ68mm	Φ60mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-178		Φ105mm	Φ90mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-189		Φ68mm	Φ60mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-179		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-190		Φ68mm	Φ60mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-180		Φ80mm	Φ65mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-191		Φ68mm	Φ60mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-181		Φ80mm	Φ65mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-192		Φ68mm	Φ60mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-182		Φ80mm	Φ65mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-193		Φ68mm	Φ60mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-183		Φ80mm	Φ65mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-194		Φ68mm	Φ60mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-184		Φ80mm	Φ65mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-195		Φ68mm	Φ60mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-185		Φ63mm	Φ55mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-196		Φ68mm	Φ60mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-186		Φ68mm	Φ60mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-197		Φ68mm	Φ60mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable
FL-MR16-187		Φ68mm	Φ60mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Adjustable	FL-MR16-198		Φ75mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable


















Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-199		Φ75mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-210		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-200		Φ75mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-211		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-201		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-212		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-202		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-213		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-203		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-214		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-204		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-215		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-205		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-216		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-206		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-217		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-207		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-218		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-208		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-219		Φ92mm	Φ85mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-209		Φ88mm	Φ70mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-220		Φ92mm	Φ85mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable























Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-221		Φ92mm	Φ85mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-232		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-222		Φ90mm	Φ85mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-233		Φ88mm	Φ70	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-223		Φ90mm	Φ85mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-234		Φ88mm	Φ70	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-224		Φ90mm	Φ85mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-235		Φ88mm	Φ70	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-225		Φ105mm	Φ85mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-236		Φ88mm	Φ75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-226		Φ105mm	Φ85mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-237		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-227		Φ105mm	Φ85mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-238		Φ172*90 mm	Φ160*80	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-228		Φ100mm	Φ85mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-239		Φ172*90 mm	Φ160*80	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-229		Φ100mm	Φ85mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-240		Φ182*100 mm	Φ160*80mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-230		Φ100mm	Φ85mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-241		Φ182*100 mm	Φ160*80mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-231		Φ88mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-242		Φ90mm	Φ80mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable























Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-243		Φ90mm	Φ80mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-254		Φ94mm	Φ75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-244		Φ90mm	Φ80mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-255		Φ85mm	Φ75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-245		Φ90mm	Φ80mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-256		Φ98mm	Φ90mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-246		Φ113mm	Φ95mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-257		Φ98mm	Φ90mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-247		Φ113mm	Φ95mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-258		Φ100mm	Φ90mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-248		Φ113mm	Φ95mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-259		Φ88*88 mm	Φ78*78mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-249		Φ85mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-260		Φ88*88 mm	Φ78*78mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-250		Φ85mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-261		Φ88*158 mm	Φ78*150mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-251		Φ85mm	Φ75	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-262		Φ88*158 mm	Φ78*150mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-252		Φ75mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-263		Φ100*100 mm	Φ90*90mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-253		Φ75mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-264		Φ100*185 mm	Φ90*165mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable























Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-265		Φ100*270 mm	Φ90*255mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-276		Φ113*113 mm	Φ100*100mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-266		Φ85mm	Φ75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-277		Φ210*113 mm	Φ190*100mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-267		Φ156*80 mm	Φ150*75mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-278		Φ113*113 mm	Φ100*100mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-268		Φ90*90 mm	Φ80*80mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-279		Φ210*113 mm	Φ190*100mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-269		Φ158*90 mm	Φ140*80	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-280		Φ113*113 mm	Φ100*100mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-270		Φ103*103 mm	Φ80*80mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-281		Φ210*113 mm	Φ190*100mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-271		Φ183*103 mm	Φ157*80mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-282		Φ113*113 mm	Φ100*100mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-272		Φ256*103 mm	Φ235*80mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-283		Φ210*113 mm	Φ190*100mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-273		Φ103*103 mm	Φ80*80mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-284		80*H125mm	//	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-274		Φ183*103 mm	Φ157*80mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-285		80*80*H125mm	//	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-275		Φ256*103 mm	Φ235*80mm	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-286		150*80*H125 mm	//	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable























Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-287		85*85*H125mm	//	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-298		200*200*h90mm	//	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-288		175*85*H125mm	//	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-299		100*100MM	Φ60MM	Color: sand black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-289		85*H85mm	//	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-300		100*100MM	Φ60MM	Color: sand black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-290		160*85*85mm	//	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-301		100*100MM	Φ60MM	Color: sand black Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-291		85*85*H85mm	//	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-302		100*100MM	Φ60MM	Color: sand white Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-292		160*85*85mm	//	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-303		100*100MM	Φ60MM	Color: sand white Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-293		97*h125mm	//	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-304		100*100MM	Φ60MM	Color: matt white Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-294		97*97*H125mm	//	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-305		100*H20MM	Φ60MM	Color: matt white Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-295		185*97*H125mm	//	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-306		100*H20MM	Φ60MM	Color: white +Gold Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-296		100*100*H90mm	//	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-307		100*H20MM	Φ60MM	Color: black+Gold Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-297		200*100*H90mm	//	Color: white /black Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-308		100*H20MM	Φ60MM	Color: white +Gold Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed























Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-309		100*H20MM	Φ60MM	Color: white + silver Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-320		68*H68MM	Φ55MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-310		100*H20MM	Φ60MM	Color: black + Gold Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-321		68*H68MM	Φ55MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-311		92*H36MM	Φ60MM	Color: black + Gold Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-322		68*H50MM	Φ55MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-312		92*H36MM	Φ60MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-323		68*H50MM	Φ55MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-313		92*H36MM	Φ60MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-324		68*H50MM	Φ55MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-314		92*H36MM	Φ60MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-325		68*H50MM	Φ55MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-315		92*H36MM	Φ60MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-326		92*H23MM	Φ75MM	Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-316		92*H36MM	Φ60MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-327		92*H23MM	Φ75MM	Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-317		72*H36MM	Φ60MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-328		92*H23MM	Φ75MM	Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-318		68*H68MM	Φ55MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-329		92*H23MM	Φ75MM	Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-319		68*H68MM	Φ55MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-330		84*H28MM	Φ55MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed











Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-331		80*H45MM	Φ60MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-342		85*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-332		70*H60MM	Φ60MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-343		80*85MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-333		94*H35MM	Φ60MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-344		80*85MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-334		94*H35MM	Φ60MM	Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-345		80*85MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-335		85*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-346		80*85MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-336		85*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-347		80*85MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-337		85*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-348		80*85MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-338		85*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-349		80*85MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-339		85*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-350		80*85MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-340		85*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-351		80*85MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-341		85*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-352		70*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed

Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-353		70*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-364		100*300MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-354		60*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-365		200*200MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-355		60*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-366		80*85MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-356		60*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-367		80*85MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-357		60*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-368		80*85MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-358		70*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-369		80*85MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-359		70*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-370		80*85MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-360		70*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-371		80*85MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-361		100*100MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-372		175*92MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-362		100*100MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-373		175*92MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-363		100*200MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-374		175*92MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed

Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-375		175*92MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-386		60*185MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-376		92MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-387		60*185MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-377		92MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-388		60*185MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-378		92*92MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-389		60*185MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-379		92MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-390		60*185MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-380		92MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-391		60*185MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-381		92MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-392		100*100MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-382		92MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-393		100*100MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-383		92*92MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-394		90*H58MM		Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-384		196*92MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-395		90*H58MM		Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed
FL-MR16-385		196*92MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-396		115*H58MM		Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed

Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-397		115*H58MM		Material: Aluminum Replace the MR16/GU10 bulbs from back side	Fixed	FL-MR16-408		170*85*110MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-398		100MM	90MM	Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-409		70*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-399		100MM	90MM	Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-410		70*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-400		100MM	90MM	Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-411		70*115MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-401		100MM	90MM	Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-412		82*55mm	Φ60MM	Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-402		60MM	90MM	Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-413		82*55mm	Φ60MM	Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-403		60MM	90MM	Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-414		82*55mm	Φ60MM	Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-404		60MM	90MM	Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-415		58*195mm		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-405		60MM	90MM	Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-416		58*58*195		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-406		85*110MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-417		Φ69*96mm		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed
FL-MR16-407		170*85*110MM		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-418		Φ69*96mm		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed

Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable	Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-419		Φ69*96mm		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-430		Φ68 H=100		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-420		Φ69*96mm		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Fixed	FL-MR16-431		Φ68 H=100		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-421		Φ68 H=100		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-432		Φ68 H=100		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-422		Φ68 H=100		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-433		Φ68 H=100 /H260xw70xD 20		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-423		Φ68 H=100		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-434		Φ68 H=100 /H260xw70xD 20		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-424		Φ68 H=100		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-435		Φ68 H=100 /H260xw70xD 20		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-425		Φ68 H=100		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-436		Φ68 H=100 /H260xw70xD 20		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-426		Φ68 H=100		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-437		Φ68 H=100 /H390xw70xD 20		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-427		Φ68 H=100		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-438		Φ68 H=100 /H390xw70xD 20		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-428		Φ68 H=100		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-439		Φ68 H=100 /H390xw70xD 20		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-429		Φ68 H=100		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable	FL-MR16-440		Φ68 H=100 /H390xw70xD 20		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable

Item No.	Picture	Dimension (mm)	Cut hole (mm)	Description	Fixed/Adjustable
FL-MR16-441		Φ60*60*150		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-442		Φ60*60*150		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-443		Φ60*60*150		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-444		Φ60*60*150		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-445		Φ60*60*150		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-446		Φ60*60*150		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-447		Φ60*60*150		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-448		Φ60*60*150		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-449		Φ60*60*150		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable
FL-MR16-450		Φ60*60*150		Material: Aluminum Replace the MR16/GU10 bulbs from front side	Adjustable

Thank You!